

#### LGEM 2

Last changed: 07/03/2011 Replaces date: 01/09/2008

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**TRADE NAME** LGEM 2 APPLICATION AREA Fat.

# NATIONAL MANUFACTURER/IMPORTER

**Enterprise** SKF Maintenance Products

Address Postbus 1008

 Postal code
 NL-3430 BA Nieuwegein

 Country
 The Netherlands

 Telephone
 +31 30 6307200

 Fax
 +31 30 6307205

# **CONTACT PERSONS**

Name	E-mail	Telephone	Country
David Sébastien	sebastien.david@skf.com	+ 31 30 6307200	The Netherlands

Emergency Phone	Type of assistance	Opening Hours
+47 22 59 13 00	Giftinformasjonen	Døgnåpent

# 2. HAZARDS IDENTIFICATION

# **HEALTH**

May be irritating to eyes.

Prolonged or frequently recurrent contact will degrease the skin and may cause skin irritation.

Contains Alkyl thiadiazole . May produce an allergic reaction.

# FIRE AND EXPLOSION

Not flammable, but combustible.

# **ENVIRONMENT**

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient name	Reg.No	EC No.	CAS No.	Conc. (wt%)	Classification
Triaryl phosphate		-	-	0,1 - 1 %	N,R50/53
Zn-compound		-	-	0,1 - 1 %	N,R50/53
Explanation of symbols: T+=highly toxic, T=toxic, C=corrosive, Xn=harmful, Xi=irritant E=Explosive, O=Oxidising, F+=Extremely					

flammable, F=Highly flammable, N=Dangerous for the environment, Cancer=Carcinogenic, Mut=Mutagenic, Rep=Toxic for reproduction, Conc.=Concentration

### **INGREDIENT COMMENTS**

The complete text of the R-phrases mentioned in section 3 is stated in section 16.

Confidential product information available.

# 4. FIRST AID MEASURES

# **INHALATION**

Remove victim immediately from source of exposure. Provide rest, warmth and fresh air. Seek medical advice if symptoms develop.

### **SKIN CONTACT**

Immediately flush contaminated skin with soap or mild detergent and water. Immediately remove soaked clothing and flush the skin with water. Use appropriate hand lotion to prevent degreasing and cracking of skin. Seek medical advice if irritation persists.



### LGEM 2

Last changed: 07/03/2011 Replaces date: 01/09/2008

#### **EYE CONTACT**

Immediately flush eyes with plenty of water while holding eye lids open. Remove any contact lenses and continue rinsing with water for at least 15 minutes (keep the eyelids open). Seek medical advice if irritation persists.

#### INGESTION

DO NOT INDUCE VOMITING! If vomiting occurs, keep head low so that stomach contents do no enter lungs. Thoroughly rinse the mouth with water. Drink a few glasses of water or milk. Seek medical advice.

### **5. FIRE-FIGHTING MEASURES**

#### **EXTINGUISHING MEDIA**

Extinguishing agent: carbon dioxide, powder, alcohol-resistant foam, water spray or water mist.

# **IMPROPER EXTINGUISHING MEDIA**

Do not use a direct water stream which may spread the fire.

#### **EXTINGUISHING METHODS**

Remove containers from fire area if this can be done without risk. Use water to cool exposed containers. If possible, fight the fire from a protected location.

#### **FIRE AND EXPLOSION HAZARDS**

Not flammable, but combustible. Carbon monoxide and hydrocarbons are released in a fire situation.

# PROTECTIVE EQUIPMENT FOR FIRE FIGHTERS

General: Evacuate all personnel, use protective equipment for fire fighting. Use a portable breathing apparatus when the product is involved in a fire.

# 6. ACCIDENTAL RELEASE MEASURES

### PERSONAL PRECAUTIONS

Provide good ventilation. Avoid contact with the skin, eyes and airways. Wear necessary protective equipment. Keep the emission away from sources of ignition.

# SAFETY ACTIONS TO PROTECT EXTERNAL ENVIRONMENT

Must not be released into the sewage system, drinking water supply or ground.

# **METHODS FOR CLEANING UP**

Stop leak if this can be done without risk.Dry, scrape or absorb the product with inert material and place it in a refuse container.Collect and dispose of materials in closed and labelled containers at an approved disposal or waste collection facility.Clean with soap and water or detergent.Flush clean with plenty of water. Be aware of the risk of slippery surfaces.

# 7. HANDLING AND STORAGE

# **HANDLING ADVICE**

Provide good ventilation. Avoid contact with the skin and eyes. Wear necessary protective equipment. Keep away from sources of ignition.

### **STORAGE**

Keep in a dry, cool and well-ventilated area. Keep containers tightly closed. Avoid contact with oxidising substances. Keep away from sources of ignition.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **EXPOSURE CONTROL**

Provide good ventilation. Wash the skin at the end of each work shift and before eating, smoking and using restroom facilities. Eye wash facilities and safety shower must be available when handling this product.



#### LGEM 2

Last changed: 07/03/2011 Replaces date: 01/09/2008

# RESPIRATORY PROTECTION

Respiratory protective equipment is usually not necessary. In case of insufficient ventilation, wear respiratory protective equipment with A/P2 filter.

# **EYE PROTECTION**

Wear approved safety goggles if there is a risk of eye splash.

# HAND PROTECTION

Protective gloves (neoprene rubber, nitrile rubber, Viton).

#### **PROTECTIVE CLOTHING**

Wear suitable protective clothing.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE Paste.

COLOUR Black.

ODOUR Characteristic.
WATER SOLUBILITY Insoluble in water.

Physical and chemical parameters

Parameter	Value/unit	Method/reference	Observation		
Density	0.90 g/cm <sup>3</sup>	DIN 51 757 / 25 °C			

# 10. STABILITY AND REACTIVITY

# **STABILITY**

Stable under recommended storage and handling conditions.

# **CONDITIONS TO AVOID**

Avoid heat, sparks and naked flames.

# **MATERIALS TO AVOID**

Avoid contact with oxidising substances.

# 11. TOXICOLOGICAL INFORMATION

# INHALATION

On warming/heating, the vapours emitted may cause irritation to the respiratory organs. May cause coughing and breathing difficulties.

### SKIN CONTACT

Prolonged or frequently recurrent contact will degrease the skin and may cause skin irritation.

# **EYE CONTACT**

May cause moderate irritation/smarting.

### INGESTION

May cause irritation of the mucous membranes, nausea and vomiting.

### **SENSITISATION**

Contains Alkyl thiadiazole . May produce an allergic reaction.

# 12. ECOLOGICAL INFORMATION



#### LGEM 2

Last changed: 07/03/2011 Replaces date: 01/09/2008

# **ACUTE AQUATIC TEST RESULTS**

Harmful to aquatic organisms.

#### **MOBILITY**

Insoluble in water. The product floats on water.

# **DEGRADABILITY**

Not readily biodegradable.

#### **OTHER EFFECTS**

Oil products may cause ground and water pollutants.

#### CONCLUSION

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Not readily biodegradable.

Must not be released into the sewage system, drinking water supply or ground.

#### **OTHER INFORMATION**

German water pollution classification (WGK):1

# 13. DISPOSAL CONSIDERATIONS

#### **GENERAL REGULATIONS**

Treat as hazardous waste. Collect and dispose of materials in closed and labelled containers at an approved disposal or waste collection facility. Empty packages must be handled in an environmentally safe manner in accordance with applicable laws and regulations.

# **CATEGORY OF WASTE**

The EWC code is a suggestion only; the end user will select a suitable EWC code.12 01 12\* spent waxes and fats

Watse product number: 7021 Oily and greasy waste.

# **14. TRANSPORT INFORMATION**

Classified as Dangerous Goods: No

### **OTHER INFORMATION**

Not classified as dangerous goods.

# **15. REGULATORY INFORMATION**

EC-Label: No

# COMPOSITION

Triaryl phosphate (0,1 - 1 %), Zn-compound (0,1 - 1 %)

# R-PHRASES

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

# S-PHRASES

S24/25 Avoid contact with skin and eyes.

S37 Wear suitable gloves.

S61 Avoid release to the environment. Refer to special instructions/safety data sheets.

# **OTHER LABELLING PHRASES**

Contains Alkyl thiadiazole . May produce an allergic reaction.



# LGEM 2

Last changed: 07/03/2011 Replaces date: 01/09/2008

# REFERENCES

Directive 1999/45/EC.

Annex VI to Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Dangerous Substances.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

European Waste Catalogue.

Occupational exposure limits (EH40/2005).

Transport of dangerous goods: ADR, RID, IMDG and IATA.

# 16. OTHER INFORMATION

# LIST OF RELEVANT R-PHRASES

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**ISSUED:** 13/03/2006